

Motore/Engine

BRAND	YANMAR
Type	3TNV88
Power	12,8 kW - 17 CV
Cyl.	3 L
Capacity	1642
Cooling	Liquid
Rpm	1500
SAE	4 - 7"½
Air intake	TurboCharged

Alternatore/Alternator

BRAND	MECC-ALTE
Type	ATEB 28/4S
Poles - Rpm	4 Poles - 1500 Rpm
PRP Cont.	15 kVA
PRP Cont.	12 kW
LTP Stand-by	17,6 Kva
LTP Stand-by	14,1 kW
Frequency	50 Hz
Tension	400 V

Pompa/Pump

BRAND	VARISCO
Type	EU 4-250
Engine	Three-phase
Power	7,5 kW - 11 CV
Rpm	1500 - 4 Poles
Solids	50 mm
∅ in - out	100 mm
Socket	4/80A
Weight	190 kg

Compressore/Compressor

BRAND	NUAIR
Capacity	6 lt
Pressur Max	8 bar

Immagini/Pictures



Prestazioni/Performance

Performance	1450 Rpm		
mc/h	40	100	160
l/min	667	1660	2660
mt	18	13	5

INVERTER

BRAND	SANTERNO
Type	SINUS PENTA 0017
Power	11 kW

Torre Faro/Tower Light

BRAND	Fireco
Type	STANDARD
H max	6005 mm
H closed	2005 mm
Ø Column	Ø90 mm
Rotation	360°

Quadro Elettrico/Electrical Panel

Socket 1°	32 A - Threephase
Socket 2°	16 A - Monophase
Socket 3°	Schuko - MonoPhase (opt.)
INVERTER:	Multi pole socket

Serabatoio/Tank

Tank	50 lt.	x
	100 lt	x
	250 lt	x

Carrello/Trolley

Type	1 axes - 2 Wheels
Chassy	Acciaio zincato
Loading area	Wood - Legno
Feet - Piedi	2 - Stabilitation
Kg max	970 kg

Fari/Lights

Model	ALOGEN
Type	4 x 1000 Watt
Lumen	88.000
On/Off	2 + 2
Rotation	180° - 360°
Weight	12 kg

Centralina/Control unit

BRAND	ELCOS
Type	CAM 120

Picture



Dimension - Weight

	L:	1200 mm
	H:	500 mm
	W:	1800 mm
	kg:	1200
	Truck:	3,0 ml

